App E IX 4

Previous References

1944-45 (ME)

ME File No 11-44

Serial Nos 122, 123

Later References

GENERAL AND REVENUE SECRETARIAT

Serial Nos Two

8

Part B for June 45

SUBJECT

Entertainment of a Graduate Surveyor for a Period Six months for the Preparation of Plans and estimates in Connection with the improvement of the Water Supply in Mysore city

L— 11863-5

8th June 45

Sanctions the employment of a P W D Surveyor

To

The Pst Mysore City Mlty
Comptroller to Govt
Co E. for Irrigation

25/9

6563
L

Letter no M5, 16-85/42 Dt 7-4-45 from the Dept, Cof mech, Mysore requesting sanction to the entertainment of a Graduate Surveyor for a period of six months for the preparation of plans & estimates in connection with the improvement of the water supply in Mysore City.

1 Submit the Chief Engineer for Roads & Buildings who he requested unofficially to state whether ~~a~~ of the services of a Graduate Surveyor could be made available for work in the Mysore City mech for a period of 6 months

A

1886 Ulo 12/5 2 A

may be done

Law Dept for 16/5/45

3 Cus 17 5 45

U.O no 276 4 Forwarded with compliments to the Chief Engineer for Irrigation for favour of stating if a Graduate Surveyor could be made available for being posted immediately to the above work

16/5 Mu

OF THE CHIEF ENGINEER FOR IRRIGATION
No PAN 7034 18/5
D 17 MAY 45

Returned with ... [illegible]

The services of a graduate Surveyor asked for can be made available immediately

No 7412/8 21/5/45

5981

M. Narasimha

Chief Engineer for Irrigation

18/5/45

Submit for pl

[illegible] 22/5/45

Submit with a draft ...

22/5

In connection with the long range improvement to be effected to the water supply at Mysore, the Mysore M.C. have resolved to appoint a graduate surveyor to carry out the surveys & prepare the estimates & plans therefor, for a period of six months. The Chief Engineer for Irrigation has stated that the services of a graduate surveyor could be made available immediately for work in this connection.

The proposal may be approved in the circumstances.

Continuation Sheet | File No / Current No 6563/2 | of | Page

If an important & urgent nature requiring to be taken up almost immediately. The expns relating to the pay & allowances of the surveyor should be met by the Mysore city M C

Yes

Law dept for 2nd stage

May be approved

23-5-45

28/5

28 5 45

The President, Mysore city M C

" Comptroller

" Chief Engr for Sanction

L 11863-5-/MC 11-44-123-d 8-6-45

Sanctions employment of a pd surveyor for six months in Mysore Municipality

CE OF THE MASTER
OF REVENUE & LAW
No. 5330
Date 25-5-45

No M5-16-85/42
Encl (2)
From

Office of the President
City Municipal Council, Mysore
Date 7th April 1945

R Ramachandra Rao Bhombore, Esq B A
President City Municipal Council,
MYSORE

C.Narayanaswamy Naidu, Esq , B A ,B.L ,
Legal Remembrancer and Secretary to Government,
Law Department, Bangalore

Sir,

Subject - Water-supply to Mysore City - Permanent and long range improvements

I have the honour to state that a meeting of the Mysore City Water Supply Committee was held to-day in the City Municipal Office and the Committee generally approved of the alternative schemes recommended by the Sub-Committee and resolved to request the Chief Engineer for Irrigation, to kindly have estimates prepared The appointment of a Graduate Surveyor, for a period of six months for preparing estimates, was also approved The proceedings of the Committee will be placed before the Municipal Council Meeting very early and the Council Resolution in this behalf submitted to Government

In the meanwhile, a copy of the proceedings of to-day's meeting, together with a copy of the Sub-Committee proceedings is herewith forwarded for the kind information of Government and early sanction to appoint the Graduate Surveyor

In this connection, I request that orders of Government regarding the proposals for immediate improvements, may kindly be communicated very early

I have the honour to be,
Sir,
Your most obedient servant,
PRESIDENT

SNR

Office of the President,
City Municipal Council, Mysore,
Dated 7th April 1945

Proceedings of the Mysore City Water Supply Committee Meeting held in the City Municipal Office, Mysore, on Saturday the 7th April 1945 at 9.30 A M

--

PRESENT R Ramachandra Rao Bhombore, Esq , B A , President, City Municipal Council, Mysore

2 T Ramaiya, Esq , B A ,(Hons), Huzur Secretary to H H the Maharaja of Mysore

3 M Narasimhaiya, Esq , B A , C E , M I E , (Ind), Chief Engineer for Irrigation in Mysore

4 P Parthasarathy, Esq , L M S , B S Sc , etc , Director of Public Health in Mysore

5 C N Shama Rao, Esq , B A , M E , Executive Engineer

6 K S Venkataramanan, Esq , B.A , B E , Sanitary Engineer

7 P Sitaramiah, Esq , B A , B L ,

8 T.Venkataramaniah, Esq , Vice-President, City Municipal Council, Mysore

9 A Krishnamurthy Rao, Esq ,

10 K N G Dwajan, Esq , B E , Superintendent, V V Water Works,Mysore, Secretary

11 H Sundaravaradachar, Esq , B E , Municipal Engineer, Joint Secretary

--

The proposals sent by the Sub Committee for consideration of permanent and long range improvements were discussed in detail The Committee accepts generally the alternative schemes recommended by the Sub Committee providing for a daily consumption of not less than 12 M G of water and resolves that the Chief Engineer for Irrigation may be requested to kindly have estimates prepared in respect of the several items for the alternative schemes for consideration and expression of final opinion by this Committee

Resolved further, that for the expeditious preparation of these estimates, Government be requested to sanction the appointment of a graduate surveyor for a period of six months

Sd R Ramachandra Rao Bhombore,
President

"Copy"

President

BS

In the above scheme the source of water is the Devraj Channel (irrigation) as at present. If the water has to be drawn directly from K.R.S. to be sure of less contamination an R.C.Duct from K.R.S. to Belagola will have to be laid

An alternative may also be worked out for the entire plant of pumping and filtration being installed at K.R.S. and suitable mains laid direct to High level and Service Reservoirs.

(Sd) K N G Dwajan
SUPERINTENDENT,
V.V.Water works, Mysore

NSM

Copy
R Meenakshisundaram
President
7 4 45

Proceedings of the Mysore Water Supply Sub-Committee Meet (21.2.45) held at the Office of the Chief Engineer for Irrigation Under the Chairmanship of the Chief Engineer, for Irrigation for consideration of permanent and long range improvements.

Members Present:

Messrs

1. M. Narasimhaiya, B.A ,C E.,M I.E., (Chairman)
2. P. Parathasarathy, L.M.S ,B S.Sc., etc., Director of Public Health in Mysore
3. C.N.Shama Rao, B A.M.E , Executive Engineer, Water Supply Division, Bangalore
4. K S.Venkataramanan, B A.,B E., Sanitary Engineer,
5. T. Venkataramiah, Vice President, City Municipal Council, Mysore
6. K.N G. Dwajan, B.E., Superintendent, Vani Vilas Water works, Mysore. (Secretary)

Members Absent.

N I L

After a detailed discussion for about 2½ hours, the following resolutions were passed

1. The Probable population in 1961 was estimated at 4 lakhs basing the same as the increase during the deccennial 31-41 which was 40% and on a tendency for a large increase also.

   It was considered enough if the improvements now proposed were adequate for 20 years. The daily consumption of water was fixed at 12 m g. assuming 30 gallons per head, per day, which was considered by the Director of Public Health as the lowest standard

   The permanent improvemnts scheme was proposed to be prepared on this basis and so designed as to be capable of expansion periodically as the necessity may arise but well in advance, say, in 5 years at a time.

Scheme:

(a) The present capacity of the pumping plant is 4 5 m g. a day Three pumping units of a capacity of 3 m g. per day to be installed in the first instance and one later

(b) A 27" main inaddition to the present mains to be laid

(c) Remodelling the existing sedimentation tanks from 4.5 to 12 m g d.

(d) 8 units of filters of 1 m.g per day to be erected 4 units in the first instance and 4 later

(e) The storage capacity at H.L R. to be increased by 2½ m g. the capacity of pumping units at the filter-house being increased suitably.

(f) The storage of 1 m g. at L.L.R. to be increased by 6 5 m g - 4 m.g. in the first instance and 2.5 m g later on.

P.T O

G R S App F VI—G 2]

SUBJECT

Abol

3

No of letter replied to

General and Revenue Secretariat

( )

the 194

Date of issue 8/6/ 1945

Signed by Mr S R Rao

May this be—

(i) printed ?

(ii) treated as a Standing Order ?

(iii) published in the Gazette English Part ?

(iv) translated ?

(v) placed at the disposal of the Press ?

(vi) published in the Gazette Kannada Part ?

Section Ml

File No 11-44

Serial No 123

Proceedings of the Government of His Highness the Maharaja of Mysore

Read— Letter no M S 16-85/42 d 7-4-45, from the President, City Municipal Council, Mysore, requesting sanction for the employment of a graduate surveyor in the Mysore city Municipality, for a period of six months, for the preparation of estimates for the permanent and long-range improvements for the supply of water to Mysore city, and adding that the same has been approved by the Mysore city water supply committee, at its meeting held on April, 45

~~Order thereon.—No~~

and note no 7412 dated

or Irrigation, stating that the services of a graduate Surveyor in the P W Deptt could be made available to the Mysore City Municipality, immediately, for the above purpose

Order No L 11863-5 D 8/6/41

The employment of a graduate Surveyor, on the usual pay and allowances, in the Mysore City Municipality for a period of six months, is sanctioned

The expenditure on this account will be borne by the Mysore City Municipality

The Chief Engineer for Irrigation is requested to post a graduate Surveyor to the Mysore City Municipality, against the above post, immediately so that the work may be carried without any delay ~~and make for this immediate relief~~

for Secretary to Govt
Law Deptt

List of Enclosures

Copied by

Examined by

To Mr. [illegible] Chief Engineer for Irrigation.